

What is Claimed is:

1. A wireless computer keyboard configured for wireless communication with a computer, comprising:
 - a keyboard housing;
 - a keyboard processor disposed within the housing;
 - an alphanumeric section included with the housing, the alphanumeric section including a group of alphanumeric keys being operatively connected to the keyboard processor; and
 - a remote control portion being disposed laterally from the alphanumeric section and having a set of keys for being in electrical communication with the keyboard processor.
2. The computer keyboard in accordance with claim 1, wherein the remote control portion is removably coupleable with the keyboard housing.
3. The computer keyboard in accordance with claim 1, wherein the remote control portion is mateable with the keyboard housing and with the keyboard processor.
4. The computer keyboard in accordance with claim 1, wherein the remote control portion includes a control processor for receiving input from a key of the set of keys.
5. The computer keyboard in accordance with claim 1, wherein the remote control portion includes a control processor, which receives input from said keys and transfers said input

to the keyboard processor.

6. The computer keyboard in accordance to claim 1, wherein the remote control portion is adapted to attach to the keyboard housing in a groove.

7. The computer keyboard in accordance to claim 1, wherein the remote control portion is adapted to attach to the keyboard housing in a receiving slot.

8. The computer keyboard in accordance to claim 1, wherein the keyboard housing is formed with mating case members and wherein the remote control portion is adapted to attach to one of the case members.

9. The computer keyboard in accordance with claim 1, wherein the remote control portion includes a housing in an abutment relationship with the keyboard housing.

10. The computer keyboard in accordance with claim 2, wherein the remote control portion includes a control processor, which receives input from said keys and transfers said input to the keyboard processor.

11. The computer keyboard in accordance with claim 3, wherein the remote control portion includes a control processor, which receives input from said keys and transfers said input to the keyboard processor.

12. A computer keyboard, comprising:
a group of alphanumeric keys; and
a keyboard housing adapted to maintain the group of alphanumeric keys accessible for user interaction; the keyboard housing having a receiving portion adapted to receive a remote control body therein.
13. The computer keyboard in accordance with claim 12, in which the receiving portion is adapted to substantially enclose the remote control body within a recess.
14. The computer keyboard in accordance with claim 12, in which the receiving portion comprises a slot laterally disposed from the group of alphanumeric keys.
15. The computer keyboard in accordance with claim 12, in which the receiving portion comprises a groove.
16. The computer keyboard in accordance with claim 12, further comprising an electrical connector adapted to connect to the remote control body.
17. The computer keyboard in accordance with claim 12, in which the receiving portion includes an electrical connector adapted to attach to the remote control body.

18. The computer keyboard in accordance with claim 12, in which the receiving portion is configured to support the remote control body on at least one of a right side and a left side of the keyboard housing.

19. A wireless remote control for controlling electrical equipment via a wireless connection, comprising:

- a control circuitry for processing input;
- a plurality of keys being operatively connected to the control circuitry; and
- a body configured to enclose the control circuitry, the body having a protrusion portion adapted to removably couple with a host device.

20. The remote control in accordance with claim 19, further including a control portion which is adapted to connect to the control circuitry and to the host device so as to transfer input generated from the keys to the host device.

21. The remote control in accordance with claim 19, in which the host device is a wireless keyboard.

22. The remote control in accordance with claim 20, in which the host device is a wireless keyboard.

23. A wireless keyboard system, comprising:

a keyboard housing;
a keyboard processor disposed within the housing;
a group of alphanumeric keys being operatively connected to the keyboard processor;
a remote control body adapted for being in an abutment relation within the keyboard housing;
a remote control processor disposed within the remote control body; and
a set of remote control keys being operatively connected to the remote control processor.

24. The wireless keyboard system of claim 23, in which the keyboard housing includes a recess, the remote control body is adapted to mate within the recess.

25. The wireless keyboard system of claim 23, in the keyboard housing includes is foldable via mating housing members.

26. The computer keyboard in accordance with claim 1, in which the keyboard housing further includes at least two opposing housing members being hingely attached.